


M1200

POWERFUL, INNOVATIVE AND COMFORTABLE




With the **M1200** mist sprayer everything becomes easier. Also for the most demanding professional worker. It is easy to adapt, thanks to the adjustment of the liquids outlet. It is easy to use thanks to the new ergonomic handle and its increased power. It's easy to make it last a long time, thanks to its simple maintenance.



The fruits of the Earth in good hands. Since 1967.

	M1200	
Engine	Model C7 / 2-stroke / 77 cc / 3,6 kW	
Air speed	105 m/s	
Air volume	27 m ³ /min	
Dry weight	Without tubes 11,35 Kg	With tubes 12,2 Kg
Capacity	Fuel tank: 2,3 L	Liquids tank: 17 L
Drops micronization	Ø 90 µm	
Liquids outflow	0-3,5 L/min	
Maximum range	Horizontal: 18 m	Vertical: 16 m
Packaging	78 x 46 x 38 cm	

It looks like the clouds contain nothing. But those produced from our machines they are full of substance. Not just for speed and the volume of air on the move but also for the tank capacity and the power delivered from the engine.



HIGHLY
TECHNOLOGICAL

WIDE RANGE
OF ACCESSORIES



ERGONOMIC

PERFECT
TREATMENT

MADE IN ITALY


Accessories

Our goal is to continually improve. And another quality of our machines is their versatility and adaptability to the work needs of each operator. For this reason, many accessories are available in various models that expand and refine the functions provided.




0G.334.00
BOOSTER PUMP

It keeps the solution inside the liquid tank always mixed, it increases and stabilizes the product outlet pressure.




0G.392.00
EXTENSION TUBE

It is suitable for particularly aired areas. It allows getting close to the area to treat, while reducing the product dispersion (the booster pump is necessary).




0G.346.00
KIT TANK FOR POWDERS AND GRANULA

Perfect for distributing powdered products, granular or seeds.




0G.395.00
ADJUSTABLE DIVERTER

It adjusts the inclination angle of the outcoming flow.




0G.341.00
KIT 3 DIVERTERS

It includes the 45° grid for diverting the product outflow, the round grid for decreasing the speed of the outcoming air, for greenhouse treatments and the double-angle grid for separating the flow in two ways.




0G.394.00
ULV DIFFUSER

It doses the amount of the outcoming product and allows performing ultra low volume treatments to obtain drops Ø less than 70 µm (the booster pump is recommended)




0G.340.00
BOOSTER AND FILLING PUMP

It keeps the solution inside the liquid tank always mixed, it increases and stabilizes the product outlet pressure. It allows filling up the tank without having to take the equipment off your shoulders.




0G.275.00
DOUBLE SPHERICAL DIFFUSER

It allows the liquid to be directed simultaneously on two rows.




0G.391.00
KIT TUBE INVERSION

It performs a treatment in the opposite sense to that of the operator.



0G.345.00
KIT FOR BLOWING

Pipes and diffusers for blowing.



0G.150.00
CALIBRATED NOZZLE KIT

3 nozzles in different colours with different diameter of the hole: Ø 1,5 - Ø 2,5 - Ø 4,0 mm.